

TECHNICAL BULLETIN



19 Motivation Dve Wangara, WA, 6065 AUSTRALIA
T +61 8 9302 4000 | FREE 1800 999 196 | F +61 8 9302 5000

CW3394

Open Recirculation Cooling System Corrosion Inhibitor

Product Description

ENVIRONEX CW3394 Open Recirculation Cooling System Corrosion Inhibitor utilizes proven chemistry and offers excellent corrosion control in open cooling systems.

Product Benefits.

- Contains no heavy metals like Zinc, Chromium or Molybdenum.
- Eliminates corrosion in open cooling water systems
- Easy to use
- Cost effective
- Prevents under deposit corrosion

Application

- CW3394 can be used in all open recirculation cooling water systems.

Features

- CW3394 is compatible with Oxidizing and Non-oxidizing Biocides
- Ready to use liquid

Dosage requirements

- Dose 10-100 ppm CW3394 based on Feed water flow rate.
- Dosage will vary based on feed water quality.
- Combine with a good microbial control program.

Monitoring

- Monitoring parameters will vary depending on water quality and system requirements. Consult your ENVIRONEX representative to advise on monitoring parameters for your system.

Handling and Storage.

- Read the label and Material Safety Data Sheet for complete handling information before using this product.
- CW3394 may be stored up to one year.

Quality

- ENVIRONEX International is licensed as a Quality Endorsed Manufacturing Company under ISO9001.