

TECHNICAL BULLETIN



19 Motivation Dve Wangara, WA, 6065 AUSTRALIA
T +61 8 9302 4000 | FREE 1800 999 196 | F +61 8 9302 5000

Page 1 of 3

Date of Issue: 4/4/2016

Last revision: February 2016

File C:\Users\Conrado Concepcion\AppData\Local\Temp\WordHelper\MemCleanBC1.docx

MEM CLEAN BC1

A NON - OXIDISING BIOCIDIDE



MEM CLEAN BC1
CONTAINS 200g/L 2,2-Dibromo-3-nitrilopropionamide

DANGER
Toxic if swallowed
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye damage
Fatal if inhaled


Do not breathe fume/ gas/mist/ vapours. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ protective clothing/ eye protection/face protection. Wear respiratory protection.
IF SWALLOWED: Rinse mouth. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. If skin irritation or rash occurs: Get medical advice/attention.

EMERGENCY INFORMATION: Spills. Eliminate ignition sources. Absorb onto absorbant material. Transfer into clean labelled drums for disposal. Fire: Use dry chemical, foam or carbon dioxide. Additional information is listed in the Material Safety Data Sheet. **IN AN EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE**

RO Membrane biocide.
Add at a rate of 10-100 ppm




UN 2811 TOXIC LIQUID, ORGANIC, N.O.S. (contains 2,2-dibromo-3-nitrilopropionamide) CLASS 6.1. HAZCHEM 2X PG III



1 1 4 0 1 1 1 0

CONTENTS 200kg nett
BATCH NO.



T: +61 8 9302 4000 E: sales@environex.net.au
F: +61 8 9302 5000 W: www.environex.net.au
FREE 1800 999 196 19 Motivation Drive, Wangara, WA 6065

MATERIAL & FUNCTION

MEM CLEAN BC1 (2,2-dibromo-3-nitrilopropionamide) is a fast-acting, non-oxidizing biocide and is very effective against a broad spectrum of microorganisms.

It is completely miscible with water upon dispersion at normal use levels.

Quick kill broad-spectrum microbiocide, fungicide and algacide.

Microbiocide kill time measured in minutes vs. hours for other types of microbiocide agents.

Effective against Legionella pneumophila (Legionnaire's Disease causing bacteria).

The rate of this activity is not affected by pH, and antimicrobial control is rapidly achieved.

Because of its extremely rapid kill, proliferating microbes and their biofilm formation are either eliminated or significantly reduced.

TECHNICAL BULLETIN



19 Motivation Dve Wangara, WA, 6065 AUSTRALIA
T +61 8 9302 4000 | FREE 1800 999 196 | F +61 8 9302 5000

Page 2 of 3

Date of Issue: 4/4/2016

Last revision: February 2016

File C:\Users\Conrado Concepcion\AppData\Local\Temp\WordHelper\MemCleanBC1.docx

Environmentally friendly - Rapidly breaks down to non-polluting by-products.
Inexpensive to use – as little as 22 g treats 1000 L of water.
Safer for use in galvanized, copper and steel systems than chlorine and bromine.
Can clean up fouled systems where high levels of organics, slime and biomass are present.

PROPERTIES

Active Ingredient (%) 20% by weight
Inert Ingredients Polyethylene glycol and water
Colour Colourless to brown
Appearance Liquid
Odour Odourless to mild
Freezing Point Approximately 0°C
Boiling Point > 70°C for solution, but active ingredient decomposes prior to boiling
Specific Gravity 1.2-1.3 @ 25°C
Vapor Pressure (DBNPA) 18.9 mmHg @ 25°C Estimated

APPLICATIONS

MEMBRANE ANTI-FOULING

Add continuously to the membrane system feed water at a rate of 10-100 ppm based on the feed water flow rate (8 to 80 mL/min per cubic meter of feed water). For on-line, intermittent feeding the addition should be for duration of at least 1 hour.

NOTE: Do not add **MEM CLEAN BC1** in the presence of sodium bisulfite or other reducing agents which are being added to the feed water of the membrane system. The addition of any reducing agents must be suspended at least 15 minutes prior to the addition of DBNPA in order to avoid neutralization and deactivation of the active ingredient.

MEM CLEAN BC1 may be added to the feed tank used for an off-line chemical cleaning procedure. Addition should be at a rate of 50 to 170 ppm based on the total amount of solution in the feed tank (40 to 136 mls per cubic meter).

Following the complete transfer of feed solution, re-circulate for 30 minutes to 3 hours.

Frequency of addition should be every 5 days or as needed.

CAUTION

Avoid contact with skin and eyes and avoid breathing vapour.

PACKAGING

200L drums

TECHNICAL BULLETIN



19 Motivation Dve Wangara, WA, 6065 AUSTRALIA
T +61 8 9302 4000 | FREE 1800 999 196 | F +61 8 9302 5000

Page 3 of 3

Date of Issue: 4/4/2016

Last revision: February 2016

File C:\Users\Conrado Concepcion\AppData\Local\Temp\WordHelper\MemCleanBC1.docx

IMPORTANT NOTICE TO CUSTOMER

*Since the use of this product is beyond the control of either seller or manufacturer, their only obligation shall be to replace any quantity of product which is proven defective. They cannot assume any risk or liability in excess of the purchase price of the product itself, which does not include labour or any consequential damages resulting from the use of this product. Determining the suitability of this product for any intended use shall be solely the responsibility of the user. **ALWAYS TEST FIRST.***